

Interference searched 2/9/06
MCK

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	10673	((711/118,133,144) or (709/203) or (707/203)).CCLS.	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2006/02/09 18:22
L2	1	L1 AND ((URL\$1 OR uniform ADJ resource ADJ locator\$1) AND secondary AND primary AND key\$1 AND Invalid\$5 AND cach\$3 AND (data ADJ object\$1) AND version\$3 AND (data ADJ source\$1)).clm.	US-PGPUB	OR	ON	2006/02/09 18:25

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	262842	@pd>"20051129"	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/02/09 16:33
L8	2606	cach\$3 near4 ((data ADJ object\$1) OR (web OR internet OR html OR htm) ADJ (site\$1 OR page\$1 OR document\$1))	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/02/09 16:48
L9	52584	URL OR (Uniform ADJ Resource ADJ Locator\$1) OR ((web OR internet) near2 address\$2)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/02/09 16:48
L10	139	((primary OR main OR prevail\$3 OR predominant\$2 OR significant\$2 OR important OR fundamental OR principle) near3 (key\$1 OR identif\$4 OR mark\$3 OR point\$3 OR indicat\$3)) near5 L9	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/02/09 16:48
L11	5	L8 AND L10	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/02/09 16:48
L12	1	L11 AND L1	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/02/09 16:48
L13	39230	URL OR (Uniform ADJ Resource ADJ Locator\$1)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/02/09 16:48
L14	36463	cach\$3 near4 ((data ADJ object\$1) OR (web OR internet OR html OR htm) ADJ (site\$1 OR page\$1 OR document\$1) OR data OR object\$1)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/02/09 16:48
L15	15321	(key\$1 OR identif\$4 OR mark\$3 OR point\$3 OR indicat\$3 OR ID OR IDs OR identification OR ((data OR cach\$3) ADJ ID\$1)) near5 L13	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/02/09 16:48
L16	104	L14 near4 L15	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/02/09 16:48
L17	5	L16 AND L1	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/02/09 16:52
L18	7413	((709/203) or (709/213) or (709/214) or (709/215) or (790/216)).CCLS.	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2006/02/09 16:52
L19	3754	((711/118) or (711/133) or (711/134) or (711/144) or (711/145)).CCLS.	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2006/02/09 16:52

L20	39230	URL OR (Uniform ADJ Resource ADJ Locator\$1)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/02/09 16:52
L21	36463	cach\$3 near4 ((data ADJ object\$1) OR (web OR internet OR html OR htm) ADJ (site\$1 OR page\$1 OR document\$1) OR data OR object\$1)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/02/09 16:52
L22	15321	(key\$1 OR identif\$4 OR mark\$3 OR point\$3 OR indicat\$3 OR ID OR IDs OR identification OR ((data OR cach\$3) ADJ ID\$1)) near5 L20	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/02/09 16:52
L23	31	(L21 near4 L22) AND (L18 OR L19)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/02/09 16:52
L24	1	L23 AND L1	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/02/09 16:52
L25	194065	(key\$1 OR identif\$4 OR mark\$3 OR point\$3 OR indicat\$3 OR ID OR IDs OR identification OR ((data OR cach\$3) ADJ ID\$1)) near5 (product\$1 OR UPC OR UPCs OR ISBN OR ISBNs)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/02/09 16:53
L26	6	(L21 near4 L25) AND (L18 OR L19)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/02/09 16:53
L27	0	L26 AND L1	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/02/09 16:53
L28	18	(L21 SAME L25) AND (L18 OR L19) NOT (L26)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/02/09 16:53
L29	1	L28 AND L1	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/02/09 16:55
L30	11	(key\$1 OR identif\$4 OR ID OR IDs OR identification OR attribute\$1 OR common\$2) near5 ((data OR object\$1) near2 template\$1) near5 cach\$3	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/02/09 16:55
L31	1	L30 AND L1	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/02/09 16:58
L33	7	(cach\$3 near5 invalidat\$3) near5 (source\$1 near4 (chang\$3 OR differen\$2 OR another OR switch\$2))	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/02/09 16:58

L34	0	L33 AND L1	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/02/09 16:59
L35	2	(cach\$3 near5 invalidat\$3) near5 (source\$1 near6 (chang\$3 OR differen\$2 OR another OR switch\$2)) NOT L33	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/02/09 16:59
L36	0	L35 AND L1	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/02/09 16:59
L37	17	(cach\$3 near5 invalidat\$3) near5 ((source\$1 OR server\$1 OR JVM OR JVMs) near6 (chang\$3 OR differen\$2 OR another OR switch\$2)) NOT (L33 OR L35)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/02/09 16:59
L38	0	L37 AND L1	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/02/09 16:59
L39	12	(cach\$3 near5 invalidat\$3) near5 ((source\$1 OR server\$1 OR JVM OR JVMs) near3 (chang\$3 OR differen\$2 OR another OR switch\$2)) NOT (L33 OR L35)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/02/09 16:59
L40	54	(cach\$3 near5 invalidat\$3) SAME ((source\$1 OR server\$1 OR JVM OR JVMs) near3 (chang\$3 OR differen\$2 OR another OR switch\$2)) NOT (L33 OR L35 OR L39)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/02/09 16:59
L41	1	L40 AND L1	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/02/09 17:00
L42	3754	((711/118) or (711/133) or (711/134) or (711/144) or (711/145)).CCLS.	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2006/02/09 17:01
L43	458	(key\$1 OR identif\$4 OR ID OR IDs OR identification OR attribute\$1 OR common\$2) near5 (application\$1) near5 cach\$3	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/02/09 17:01
L44	54	L43 AND (L42 OR L42)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/02/09 17:01
L45	1	L44 AND L1	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/02/09 17:02

L46	7413	((709/203) or (709/213) or (709/214) or (709/215) or (790/216)).CCLS.	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2006/02/09 17:02
L47	37	L43 AND (L42 OR L46) NOT L44	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/02/09 17:02
L48	0	L47 AND L1	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/02/09 17:02
L49	126	(key\$1 OR identif\$4 OR ID OR IDs OR identification OR indicat\$3) near5 ((data OR object\$1 OR file\$1 OR datum) near3 (version\$3 OR edition\$1)) near5 cach\$3	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/02/09 17:08
L50	0	L49 AND L1	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/02/09 17:02
L51	37	L49 AND (L46 OR L42)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/02/09 17:02
L52	0	L51 AND L1	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/02/09 17:02
L53	103	((differen\$3 OR dissimilar\$2 OR distinct\$3 OR varian\$2 OR another) near4 (key\$1 OR identif\$4 OR ID OR IDs OR identification OR indicat\$3)) near5 (data OR object\$1 OR file\$1 OR datum) near5 cach\$3	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/02/09 17:02
L54	41	L53 AND (L46 OR L42)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/02/09 17:02
L55	0	L54 AND L1	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/02/09 17:03
L56	33	((((differen\$3 OR dissimilar\$2 OR distinct\$3 OR varian\$2 OR another) near4 (key\$1 OR identif\$4 OR ID OR IDs OR identification OR indicat\$3)) WITH (data OR object\$1 OR file\$1 OR datum) WITH cach\$3) AND (L46 OR L42) NOT L54	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/02/09 17:03
L57	0	L56 AND L1	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/02/09 17:04

L58	6	(cach\$3 near5 invalidat\$3) WITH ((source\$1 OR server\$1 OR JVM OR JVMs) near3 (chang\$3 OR differen\$2 OR another OR switch\$2)) NOT (L33 OR L35 OR L39)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/02/09 17:04
L59	48	(cach\$3 near5 invalidat\$3) SAME ((source\$1 OR server\$1 OR JVM OR JVMs) near3 (chang\$3 OR differen\$2 OR another OR switch\$2)) NOT (L33 OR L35 OR L39 OR L58)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/02/09 17:04
L60	9	(cach\$3 near5 invalidat\$3) SAME ((source\$1 OR server\$1 OR JVM OR JVMs) near3 (chang\$3 OR differen\$2 OR another OR switch\$2 OR mov\$3 OR replace\$3 OR swap\$1 OR swapp\$3)) NOT (L33 OR L35 OR L39 OR L58 OR L59)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/02/09 17:04
L61	1	L60 AND L1	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/02/09 17:05
L62	33	(cach\$3 near5 invalidat\$3) SAME ((source\$1 OR server\$1 OR JVM OR JVMs) near5 (chang\$3 OR differen\$2 OR another OR switch\$2 OR mov\$3 OR replace\$3 OR swap\$1 OR swapp\$3)) NOT (L33 OR L35 OR L39 OR L58 OR L59 OR L60)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/02/09 17:05
L63	2	L62 AND L1	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/02/09 17:06
L64	652	((request\$3 OR quer\$4 OR inquir\$3 OR enquir\$3 OR ask\$3) near5 cach\$3) near5 (key\$1 OR identif\$4 OR ID OR IDs OR identification OR indicat\$3) near8 (compar\$4 OR match\$3 OR hit\$1 OR correlat\$3 OR correspond\$3 OR concur\$3 OR affirm\$3)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/02/09 17:06
L65	81	L64 AND (L46 OR L42) AND 711/118.ccls.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/02/09 17:06
L67	0	L65 AND L1	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/02/09 17:06
L68	3016634	(key\$1 OR identif\$4 OR ID OR IDs OR identification OR indicat\$3)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/02/09 17:13

L69	59580	(multiple\$1 differen\$2 OR numerous OR assort\$3 OR separat\$3) near5 (version\$3 OR edition\$1 OR varian\$2)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/02/09 17:37
L70	376497	(differen\$2 OR separat\$2 OR dissimilar OR distinct\$3 OR individual OR contrast\$3 OR alter\$3) near5 L68	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/02/09 17:20
L71	378095	("same" OR identical OR exact OR equivalen\$2 OR equal\$1 OR coincid\$3 OR congruent OR alike) near5 L68	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/02/09 17:23
L72	0	cach\$3 near5 (L69 near5 (data OR object\$1 OR file\$1 OR datum OR htm OR html)) near5 (version\$3 OR edition\$1 OR varian\$2) near5 L70 near5 L71	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/02/09 17:28
L73	0	cach\$3 near5 (L69 near5 (data OR object\$1 OR file\$1 OR datum OR htm OR html)) WITH (version\$3 OR edition\$1 OR varian\$2) WITH L70 WITH L71	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/02/09 17:29
L74	0	cach\$3 WITH (L69 near5 (data OR object\$1 OR file\$1 OR datum OR htm OR html)) WITH (version\$3 OR edition\$1 OR varian\$2) WITH L70 WITH L71	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/02/09 17:29
L75	1	cach\$3 WITH (L69 near5 (data OR object\$1 OR file\$1 OR datum OR htm OR html)) SAME ((version\$3 OR edition\$1 OR varian\$2) WITH L70 WITH L71)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/02/09 17:30
L76	1	cach\$3 WITH (L69 WITH (data OR object\$1 OR file\$1 OR datum OR htm OR html)) SAME ((version\$3 OR edition\$1 OR varian\$2) WITH L70 WITH L71)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/02/09 17:37
L77	98777	(multiple\$1 differen\$2 OR numerous OR assort\$3 OR separat\$3) WITH (version\$3 OR edition\$1 OR varian\$2)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/02/09 17:37
L78	1	cach\$3 WITH (L77 WITH (data OR object\$1 OR file\$1 OR datum OR htm OR html)) SAME ((version\$3 OR edition\$1 OR varian\$2) WITH L70 WITH L71)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/02/09 17:38
L79	5	cach\$3 WITH (L77 WITH (data OR object\$1 OR file\$1 OR datum OR htm OR html)) AND ((version\$3 OR edition\$1 OR varian\$2) WITH L70 WITH L71)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/02/09 17:39

L80	5	cach\$3 WITH (L77 WITH (data OR object\$1 OR file\$1 OR datum OR htm OR html)) AND ((version\$3 OR edition\$1 OR varian\$2) SAME L70 SAME L71)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/02/09 17:40
L81	14	cach\$3 SAME (L77 WITH (data OR object\$1 OR file\$1 OR datum OR htm OR html)) AND ((version\$3 OR edition\$1 OR varian\$2) SAME L70 SAME L71)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/02/09 17:40